

PT. SUGIH MAKMUR EKA INDUSTRI INDONESIA

Komplek Sunter Agung Podomoro, Jl. Agung Timur 2 Blok O 2 Kav. 4 – 6
Sunter Agung Podomoro, Jakarta 14350 – Indonesia



**JAPAN
QUALITY**

JAPAN QUALITY





Double Spindle
Mechanism

LEAK PROOF.

SAN-EI's exclusive **double spindle mechanism** is engineered for high performance and long-lasting durability.

Because quality is always our top priority.



Spindle Kerep
Mechanism

LIFETIME WARRANTY.

The durable spindle kerep mechanism makes it long-lasting, you can easily control the water flow — and that's why our product comes with a lifetime warranty.

• Berlaku hanya untuk mekanisme Spindle Kerep & Double Spindle | S&K berlaku



**PULL STRENGTH
TESTED
UP TO 2,000 N
(Newton)**



5 BAR

AIR PRESSURE LEAK TEST

A precise quality control process that guarantees leak-free performance true to the essence of Japan Quality by SAN-EI.

● **New Series**




Chrome Series





V106
CONCEALED BATH MIXER WITH SHOWER SET

- Adjustable shower patterns




W9200-S-CHROME
COLUMN SHOWER SET

- Column set with change lever to rain shower and hand shower
- Adjustable hand shower bracket height
- Adjustable rain shower column height 50mm ~ 420mm





Black Series



W9200-S-BLACK
COLUMN SHOWER SET

- Column set with change lever to rain shower and hand shower
- Adjustable hand shower bracket height
- Adjustable rain shower column height 50mm ~ 420mm




Gun Metal




W9500-S GUN METAL
THERMOSTAT SHOWER COLUMN SET

- Column set with change lever to rain shower and hand shower
- Adjustable hand shower bracket height
- Adjustable rain shower column height 20mm ~ 370mm



SK50-GUN METAL
SINGLE LEVER BATH MIXER with SHOWER SET

- Hose length 1.5m
- Shower bracket included



● **New Series**

SAN-EI


SAN-EI

Chrome Series




PS3650C
SELF CLEANING SHOWER SET

- Face plate with automatic self-cleaning button
- Adjustable shower patterns
- 3 patterns by rotating the face plate
- Hose lenght 1,5m
- Shower bracket included




SK3900-X
SINGLE LEVER BATH MIXER




KN580
SINGLE LEVER BASIN MIXER

- Rotate 360° for maximum flexibility
- Hot and cold water




Y55A-13
EYEWASH FAUCET
(KRAN PENCUCI MATA)

- Spindle kerep type




Y25A-13
EYEWASH FAUCET
(KRAN PENCUCI MATA)

- Spindle kerep type




EY26R (Box)
PEY26R (Blister)
SINK TAP

- Ceramic cartridge type




EY51R
SINGLE LEVER SINK MIXER

- Swinging pipe
- Hot and cold water




EY50R
SINGLE LEVER SINK MIXER

- Swinging pipe
- Hot and cold water




A570
PULL OUT SINGLE LEVER
SINK TAP

- Pull out hose
- Changeable water flow
- Cold only water




EY36R (Box)
PEY36R (Blister)
SINK TAP

- Ceramic cartridge type




VN250 (Box)
PVN250 (Blister)
STAINLESS STOP VALVE

- Ceramic cartridge type




VN260 (Box)
PVN260 (Blister)
STAINLESS TWO-WAY
STOP VALVE

- Ceramic cartridge type




Y507
STAINLESS BASIN TAP

- Cold water only




A580 CHROME
SINGLE LEVER SINK TAP

- Swinging pipe
- Cold water only




EA16R (Box)
PEA16R (Blister)
SINGLE LEVER SINK TAP

- Swinging pipe




V11
SHOWER VALVE




WN200
PAPER HOLDER WITH SHELF

- Tissue placement area 138mm
- Included screw




WN201
DOUBLE PAPER HOLDER
WITH SHELF

- Tissue placement area 267mm
- Included screw







WN190
CORNER SOAP BASKET



WN195
DOUBLE CORNER SOAP BASKET



PW503-X
SLIDE BAR
• Adjustable shower bracket






SN75C-GUN METAL (Box)
PSN75C-GUN METAL (Blister)

TOILET SHOWER SET
• Hose length 1.2m
• Shower bracket included





KN880 GUN METAL
SINGLE LEVER SINK MIXER (GUN METAL)


• Pull out hose
• Hot and cold water
• Changeable water flow



HN909
STAINLESS SQUARE FLOOR STRAINER



HN910
SQUARE FLOOR STRAINER



PSN80C- CH
TOILET SHOWER SET
• Hose length 1,2m
• Shower bracket included




Coffee Gold Series





KN370 COFFEE GOLD
SINGLE LEVER BASIN MIXER

• Hot and cold water



KN890 COFFEE GOLD
PULL OUT SINK MIXER


• Pull out hose
• Hot and cold water
• Changeable water flow




Black Series





A580 GUN METAL
SINGLE LEVER SINK TAP
• Swinging pipe
• Cold water only



KN580 GUN METAL
SINGLE LEVER BASIN MIXER
• Can rotate 360° for maximum flexibility
• Hot and cold water




A570-BLACK
PULL OUT SINGLE LEVER SINK TAP
• Pull out hose
• Changeable water flow
• Cold water only




KN8770-BLACK
SINGLE LEVER SINK MIXER

• With flexible swinging pipe
• Hot and Cold water





PSN80C- BK
TOILET SHOWER SET

• Hose length 1,2m
• Shower bracket included




Premium Series




SK9880A
PANEL-MOUNTED THERMOSTATIC SHOWER MIXER


- The three shower nozzles can be adjusted to suit individual needs.
- Equipped with a cold water discharge function with an "ON" or "OFF" button.
- When using the overhead shower head, cold air is expelled, leaving only warm water for showering.




K5580P-13
BASIN MIXER WITH POP-UP WASTE



K4780PJV-13
SINGLE LEVER BASIN MIXER WITH POP-UP WASTE



K4780NJV-13
SINGLE LEVER BASIN MIXER




EDDIES


流れのカタチ。
誰もが心に自然を感じる場所を持つ。美の表情、かすかな風の匂い、流れる水の音、外の世界から私たちの感性の奥深くに語りかけてくる。お家なごたちあるもの「ごかたちなまの」...。「EDDIES」が追い求めたデザインの本質は、そこにある。心地よい水の流れや動きは、私たちのイマジネーションを喚起し、現代の空間に、本来の意味での癒しと安らぎをもたらす。それはこれまでになかった「流れを感じるためのデザイン」心がかめていた、理想の水のカタチ。




SK18C-T5L19
THERMOSTATIC BATH MIXER WITH SHOWER SET



K4790NJV-13
SINGLE LEVER BASIN MIXER




SK2890-13
THERMOSTATIC BATH MIXER WITH SHOWER SET



K8790JHV-13
SINGLE LEVER SINK MIXER

- Swinging Pipe
- Pull-out shower head with metal hose (1.2 m)





YURIKA

ISSEI



AYAKA^o

ISSEI



PS3030-80XA-BA2
ISSEI SHOWER HEAD



PS3030-80XA-HA20
ISSEI SHOWER HEAD



PS3030-80XA-WA2
ISSEI SHOWER HEAD

Produk ini dibuat di Jepang dan dilengkapi dengan 239 lubang kepala semprotan yang sangat kecil berukuran 0,3 mm, diproduksi menggunakan teknologi canggih.

Lubang-lubang ini menghasilkan pancaran air yang halus dan menyenangkan. Jika nozel tersumbat, bagian ini dapat dilepas untuk pembersihan yang efektif.

AYAKA^o




PS7964-CT6A-MW2
AYAKA ULTRA-FINE BUBBLE WATER PURIFIER SHOWER SET



PM7164-1
WATER PURIFIER CARTRIDGE

- Hose Length 1.6 m.
- Water Purifier Cartridge (PM7164-1) Included
- Shower Bracket Included



2 in 1 System
Water Purifier x Ultra Fine Bubble

YURIKA



PS3020-80XA-GP
YURIKA SHOWER HEAD



PS3020-80XA-PGP
YURIKA SHOWER HEAD



PS3020-80XA-SVP
YURIKA SHOWER HEAD



PS3020-80XA-D2
YURIKA SHOWER HEAD



Turn the button to adjust the water flow



Flow rates 34.9km/h



Flow rates 17.9km/h

MAX STRONG

MIN GENTLE




Great to thoroughly wash the scalp

Gentle water low for delicate skin Such as face and children's skin



PS3050-81XA-CMP
SARA SHOWER HEAD




Technology Ultra Fine Bubble Mistface Wash




Jika menginginkan kulit berkilau jangan menggosokkan kulit saat membersihkan wajah karena akan meninggalkan residual pada kulit.

SARA-Ultra fine bubble mist ini dapat mengangkat kotoran, make-up dari dalam pori-pori. Dengan teknologi ultra fine bubble yang efektif dan aman bagi kulit wajah.




W584
COUNTER HANDRAIL
• For bathroom counter




W601
SUPPORT BAR (Folding Type)
• When installed in the toilet, fold it up for storage if it gets in the way
• Materials
Base : Steel
Base Cover : Rigid resin
• Arm Cushion : Rigid resin (antibacterial specification)
Arm Core : Steel pipe (acrylic resin coating)
Maximum load capacity
Vertical direction : 1000 N (102kgf)
Horizontal direction : 600 N (61kgf)

Note :
Operate slowly. If handled roughly, it may spring back and cause injury. Install in a location free of obstacles within the operating range.




W604
SUPPORT BAR (Folding Type)
• Install in washroom, toilet, etc. when not in use or when it gets in the way, fold it up for storage.
• Materials
Main body : Glass fiber reinforced nylon
• Arm : Steel (epoxy powder coating)
Maximum load capacity : 1,176 N (120 kgf)


Note :
Operate slowly. If handled roughly, it may spring back and cause injury. Install in a location free of obstacles within the operating range.




W5792L-600 X 400
L-SHAPED GRAB BAR
• Includes screws and plugs
• Material
Pipe : Aluminium with resin coating




W5792-400
GRAB BAR
• Includes screws and plugs
• Material
Pipe : Aluminium with resin coating




WN59-2
GRAB BAR




Y55A-13
EYEWASH FAUCET
(KRAN PENCUCI MATA)
• Spindle kerep type



W5792-1200
GRAB BAR
• Includes screws and plugs
• Material
Pipe : Aluminium with resin coating



WN59
GRAB BAR




Y25A-13
EYEWASH FAUCET
(KRAN PENCUCI MATA)
• Spindle kerep type




W9500-S-GUN METAL
COLUMN SHOWER SET

- Column set with change lever to rain shower or hand shower
- Adjustable hand shower bracket height
- Adjustable rain shower column height 20mm ~ 370mm




W9200-S
COLUMN SHOWER SET

- Column set with change lever to rain shower or hand shower
- Adjustable hand shower bracket height
- Adjustable rain shower column height 50mm ~ 420mm



W9300-S
COLUMN SHOWER SET

- Column set with change lever to rain shower or hand shower
- Adjustable hand shower bracket height
- Adjustable rain shower column height 50mm ~ 420mm




W8000-S
THERMOSTATIC BATH MIXER with COLUMN SHOWER SET

- Column set with change lever to rain shower or hand shower
- Changeable hand shower pattern
- Adjustable hand shower bracket height
- Adjustable rain shower column height : 530mm




W8200-S
SINGLE LEVER BATH MIXER with COLUMN SHOWER SET

- Column set with change lever to rain shower or hand shower
- Changeable rain shower pattern
- Changeable hand shower pattern
- Single lever bath mixer
- Adjustable hand shower bracket height
- Adjustable rain shower column height : 95mm ~ 275mm




W9100-S-BLACK
COLUMN SHOWER SET

- Column set with change lever to rain shower or hand shower
- Adjustable hand shower bracket height
- Adjustable rain shower column height : 95mm ~ 275mm




W9200-S-BLACK
COLUMN SHOWER SET

- Column set with change lever to rain shower or hand shower
- Adjustable hand shower bracket height
- Adjustable rain shower column height : 50mm ~ 420mm




W7750-X
COLUMN SHOWER SET

- Column set with change lever to rain shower or hand shower
- Changeable rain shower pattern
- Changeable hand shower pattern
- Adjustable hand shower bracket height
- Adjustable rain shower column height : 95mm ~ 275mm



W7900-S
SINGLE LEVER BATH MIXER with COLUMN SHOWER SET

- Column set with change lever to rain shower or hand shower
- Changeable hand shower pattern
- Single lever bath mixer with change
- Adjustable hand shower bracket height
- Adjustable rain shower column height : 95mm ~ 275mm




● **Swinging Sink Tap**




A10JC (Box)
PA10JC (Blister)
SWINGING SINK TAP

• Spindle kerep type




A10JRN
SWINGING SINK TAP

• Double Spindle kerep type




A18JSX (Box)
PA18JSX (Blister)
FLEXIBLE SINK TAP

• Ceramic cartridge type
• Effervescent water flow with aerator




EA16R (Box)
PEA16R (Blister)
SINGLE LEVER SINK TAP

• Swinging pipe




A27JRN-HM (Box)
PA27JRN-HM (Blister)
SWINGING SINK TAP

• Ceramic cartridge type
• Effervescent water flow with "Ho matsu" aerator




A27JRN
SWINGING SINK TAP

• Double Spindle kerep type




A10JRN-L
SWINGING SINK TAP

• Double Spindle kerep type




A10JSX-HM-BLACK
SWINGING SINK TAP

• Ceramic cartridge type
• Effervescent water flow with "Ho matsu" aerator




A10JP-L2
SWINGING SINK TAP


• Spindle kerep type



A27JP-L2
SWINGING SINK TAP




A27JP-L3
SWINGING SINK TAP




A10JSX-HM (Box)
PA10JSX-HM (Blister)
SWINGING SINK TAP

• Ceramic cartridge type
• Effervescent water flow with "Ho matsu" aerator




A10JSX (Box)
PA10JSX (Blister)
SWINGING SINK TAP

• Ceramic cartridge type




A10JP-L3
SWINGING SINK TAP

• Spindle kerep type




A16JC
SWINGING SINK TAP

• Spindle kerep type



A16JSX
SWINGING SINK TAP

• Ceramic cartridge type




● **Swinging Sink Tap**




A28JSX (Box)
PA28JSX (Blister)
SWINGING SINK TAP

- Ceramic cartridge type




A26JC
SWINGING SINK TAP

- Spindle kerep type




A26JRN
SWINGING SINK TAP

- Double Spindle kerep type




A286JSX-L3-PM (Box)
PA28JSX-L3-PM (Blister)
FLEXIBLE SINK TAP

- Ceramic cartridge type
- Changeable shower patterns




A286JSX-L3 (Box)
PA286JSX-L3 (Blister)
FLEXIBLE SINK TAP

- Ceramic cartridge type
- Effervescent water flow with aerator




A286JC-L3 (Box)
PA286JC-L3 (Blister)
FLEXIBLE SINK TAP

- Spindle kerep type
- Effervescent water flow with aerator.




A26JSX-HM (Box)
PA26JSX-HM (Blister)
SWINGING SINK TAP

- Ceramic cartridge type
- Effervescent water flow with "Ho matsu" aerator




A26JSX (Box)
PA26JSX (Blister)
SWINGING SINK TAP

- Ceramic cartridge type




A26JMR (Box)
PA26JMR (Blister)
SWINGING SINK TAP

- Ceramic cartridge type




A500
SWINGING SINK TAP

- With swinging pipe
- Cold water only
- Ceramic cartridge type




A510
SWINGING SINK TAP

- With swinging pipe
- Cold water only
- Ceramic cartridge type




A520
SINGLE LEVER SINK TAP

- With swinging pipe
- Cold water only




A29JMR (Box)
PA29JMR (Blister)
SWINGING SINK TAP

- Ceramic cartridge type




A29JSX (Box)
PA29JSX (Blister)
SWINGING SINK TAP

- Ceramic cartridge type




A29JSX-HM (Box)
PA29JSX-HM (Blister)
SWINGING SINK TAP

- Ceramic cartridge type
- Effervescent water flow with "Ho matsu" aerator




A530
STAINLESS STEEL
SINGLE LEVER SINK TAP

- With swinging pipe
- Cold water only



A530-BLACK
STAINLESS STEEL
SINGLE LEVER SINK TAP

- With swinging pipe
- Cold water only




● **Swinging Sink Tap**




A580 CHROME
SINGLE LEVER SINK TAP

- Swinging pipe
- Cold water only





A580 GUN METAL
SINGLE LEVER SINK TAP

- Swinging pipe
- Cold water only



A570 CHROME
PULL OUT SINGLE LEVER SINK TAP

- Pull out hose
- Changeable water flow
- Cold water only



A586JSX-L3-PM (Box)
FLEXIBLE SINK TAP

PA586JSX-L3-PM (Blister)
FLEXIBLE SINK TAP

- Ceramic cartridge type
- Changeable shower patterns



A586JSX-L3 (Box)
FLEXIBLE SINK TAP

PA586JSX-L3 (Blister)
FLEXIBLE SINK TAP


- Ceramic cartridge type
- Effervescent water flow with aerator



A58JSX (Box)
SWINGING SINK TAP



PA586JSX (Blister)
SWINGING SINK TAP

- Ceramic cartridge type




A570-BLACK
PULL OUT SINGLE LEVER SINK TAP

- Pull out hose
- Changeable water flow
- Cold water only



A56JRN
SWINGING SINK TAP


- Double spindle kerep type



A56JSX (Box)
SWINGING SINK TAP


PA56JSX (Blister)
SWINGING SINK TAP

- Ceramic cartridge type




A550
SINGLE LEVER SINK TAP

- With swinging pipe
- Cold water only





A560
SINGLE LEVER SINK TAP

- With swinging pipe
- Cold water only




A600
TWO-WAY KITCHEN TAP

- With swinging pipe
- Cold water only
- Ceramic cartridge type




A56JRN-HM
SWINGING SINK TAP

- Double spindle kerep type




A57JRN
SWINGING SINK TAP

- Double spindle kerep type



A57JRN-HM
SWINGING SINK TAP

- Double spindle kerep type




● **Swinging Sink Tap**




A59JSX (Box)
PA59JSX (Blister)
SWINGING SINK TAP

- Ceramic cartridge type




A59JMR
SWINGING SINK TAP

- Ceramic cartridge type



A59JP
SWINGING SINK TAP

- Spindle kerep type




● **Kitchen Mixer**




A59JSX-HM-BLACK
SWINGING SINK TAP

- Ceramic cartridge type
- Effervescent water flow with "Ho matsu" aerator



A59JSX-HM (Box)
PA59JSX-HM (Blister)
SWINGING SINK TAP

- Ceramic cartridge type
- Effervescent water flow with "Ho matsu" aerator



PM7240
WATER FILTER

- Water Filter with 5 layers filter.
 - Non-woven fabric filter
 - Coconut shell activated carbon
 - Zeolite
 - Calcium Sulfit
 - Non-woven fabric filter
- Water temperature max. 50°C.
- Changeable shower patterns



PM7251
WATER FILTER

- Three layers water filter with Carbon, Charcoal & Calcium
- Water temperature max. 45°C.
- Changeable shower patterns




PM7230-B
CLEAN WATER




KN880 GUN METAL
SINGLE LEVER SINK TAP MIXER (GUN METAL)

- Pull out hose
- Hot and cold water
- Changeable water flow




EY50R
SINGLE LEVER SINK MIXER

- Swinging pipe
- Hot and cold water




KN890 COFFEE GOLD
PULL OUT SINK MIXER

- Pull out hose
- Hot and cold water
- Changeable water flow




EY51R
SINGLE LEVER SINK MIXER

- Swinging pipe
- Hot and cold water



KN8770 BLACK
SINGLE LEVER SINK TAP

- With flexible swinging pipe
- Hot and Cold water




● **Kitchen Mixer**




KN8700
SINGLE LEVER SINK MIXER

- With swinging pipe




KN8750
SINGLE LEVER SINK MIXER

- With swinging pipe




K8751JV-13
SINGLE LEVER SINK MIXER




K87121ET6JV-13
ULTRA FINE BUBBLE
SINGLE LEVER SINK MIXER


- Pull-out shower head/spout with 1.1mtrs metal hose
- Changeable shower patterns



K875JDVZ-1-13
SINGLE LEVER SINK MIXER




H770-88
WATER BUCKET




K71D-W
DECK TYPE SINK MIXER

- Spindle kerep type




K611-W
DECK TYPE SINK MIXER

- Spindle kerep type





K811YV-13
SWINGING SINK TAP

- Spindle kerep type



K87580JV
WATER PURIFIER SINK MIXER

- With single water purifier Cartridge PM71750M-1
- With swinging pipe. Rotate spout 120°
- Pull-out shower head/spout with 1.1 mtrs metal hose
- Changeable shower patterns




PM71750M-1
WATER PURIFIER CARTRIDGE




K8700
SINGLE LEVER SINK MIXER

- With swinging pipe
- Changeable shower patterns



KN870
SINGLE LEVER SINK MIXER

- With swinging pipe



● Basin Tap

SAN-EI

SAN-EI



Y50JC (Box)
PY50JC (Blister)
BASIN TAP

Y50JC-BB (Box)
PY50JC-BB (Blister)
BASIN TAP


Y50JPR (Box)
PY50JPR (Blister)
BASIN TAP

Y507
STAINLESS BASIN TAP


Y505
BASIN TAP

Y501R (Box)
PY501R (Blister)
SINGLE LEVER BASIN TAP


• Spindle kerep type




• Spindle kerep type




• Ceramic cartridge type




• Cold water only



• Cold water only



• Cold water only



Y50JRN
BASIN TAP


Y50JMR (Box)
PY50JMR (Blister)
BASIN TAP

Y50JSX (Box)
PY50JSX (Blister)
BASIN TAP


Y506
BASIN TAP

Y510R (Box)
PY510R (Blister)
SINGLE LEVER BASIN TAP


• Double spindle kerep type




• Ceramic cartridge type




• Ceramic cartridge type



• Cold water only



• Cold water only



Y50JRN-L
BASIN TAP

Y51C
BASIN TAP


Y51P (Box)
PY51P (Blister)
BASIN TAP

Y4700-S
SINGLE BASIN TAP


JA546HCV-13
BASIN TAP

Y503R (Box)
PY503R (Blister)
SINGLE LEVER BASIN TAP


• Double spindle kerep type




• Spindle kerep type




• Spindle kerep type




• Cold water only



• Cold water only



• Cold water only






● Basin Tap




Y4700-L-GREY
SINGLE LEVER BASIN TAP

• Cold water only




Y4700-L-SILVER GREY
SINGLE LEVER BASIN TAP

• Cold water only




Y4700-L-RED
SINGLE LEVER BASIN TAP

• Cold water only




Y4700-L-CHROME
SINGLE LEVER BASIN TAP

• Cold water only



Y4700-L-BLACK
SINGLE LEVER BASIN TAP

• Cold water only




● Basin Mixer




K11-1-JRN
SINK MIXER

• Hot & Cold water



K131Y-13
SINK MIXER

• Hot & Cold water



● Basin Mixer



KN580
SINGLE LEVER BASIN TAP

• Can rotate 360° for maximum flexibility
• Hot and cold water




KN580 GUN METAL
SINGLE LEVER BASIN TAP

• Can rotate 360° for maximum flexibility
• Hot and cold water




KN370 COFFEE GOLD
SINGLE LEVER BASIN MIXER

• Hot and cold water




KN380
SINGLE LEVER BASIN TAP

• Hot and cold water




KN350-S-BLACK
SINGLE LEVER BASIN MIXER

• Hot and cold water




KN4770
SINGLE LEVER BASIN MIXER

• Hot and cold water




K37610EJV-13
SINGLE SPRAY MIXING TAP

• Pull-out shower head/spout with 1 mtrs metal hose
• Changeable shower patterns
• Hot & Cold water



K51-W
BASIN MIXER


• Spindle kerep type
• Hot & Cold water






EY102DC-13
SENSOR BASIN TAP

- Power supply : DC 6V.
- Workable on water pressure 0.05 ~ 0.75MPa
- Useable for 56,000 cycles (100 times/day for 2 years)
- Water temperatures 0 ~ 60°C.




EY500
SENSOR BASIN TAP

- Power supply : DC 6V.
- Workable on water pressure 0.05 ~ 0.75MPa
- Water temperatures 0 ~ 55°C.




EY501
SENSOR BASIN TAP

- Power supply : DC 6V.
- Workable on water pressure 0.05 ~ 0.75MPa
- Sensor LED (red), range distance 50 ~ 120mm.
- Useable for 56,000 cycles (100 times/day for 2 years)
- Water temperatures 0 ~ 60°C.




EW502
AUTOMATIC SOAP DISPENSER

- Foaming soap system
- Power supply: AC100V-240V 50/60Hz or DC 6V (Battery Size D 1.5V x 4 pcs)
- Adjustable Sensing distance: 10 ~ 20 cm.
- Adjustable volume dispensed: Each time 1.0 ~ 2.0 ml.
- Bottle Capacity: 1.000 ml.




EA100-BLACK
SENSOR BASIN TAP

- Power supply : DC 6V.
- Workable on water pressure 0.05 ~ 0.6 Mpa
- Water temperatures 1 ~ 55°C.



EA100
SENSOR BASIN TAP

- Power supply : DC 6V.
- Workable on water pressure 0.05 ~ 0.6 Mpa
- Water temperatures 1 ~ 55°C.



● Sink Tap


SAN-EI

SAN-EI




EY26R (Box)
PEY26R (Blister)
SINK TAP

• Ceramic cartridge type




Y20 (Box)
PY20 (Blister)
SINK TAP

• Spindle kerep type




Y20PR (Box)
PY20PR (Blister)
SINK TAP

• Ceramic cartridge type




Y20JC (Box)
PY20JC (Blister)
SINK TAP

• Spindle kerep type




Y20JC-BB (Box)
PY20JC-BB (Blister)
SINK TAP

• Spindle kerep type




Y20J (Box)
PY20J (Blister)
SINK TAP

• Spindle kerep type




Y20P
SINK TAP

• Spindle kerep type




Y20C (Box)
PY20C (Blister)
SINK TAP

• Spindle kerep type




Y20MR (Box)
PY20MR (Blister)
SINK TAP

• Ceramic cartridge type




Y20JP (Box)
PY20JP (Blister)
SINK TAP

• Spindle kerep type




Y20JX (Box)
PY20JX (Blister)
SINK TAP

• Spindle kerep type




Y20X
SINK TAP

• Spindle kerep type




Y20SX (Box)
PY20SX (Blister)
SINK TAP

• Ceramic cartridge type




Y20SX-HM (Box)
PY20SX-HM (Blister)
SINK TAP

• Ceramic cartridge type
• Effervescent water flow with "Ho matsu" aerator




Y20JRN (Box)
PY20JRN (Blister)
SINK TAP

• Double spindle kerep type




Y20JRN-L
SINK TAP

• Double Spindle kerep type



Y20C-3/4"
SINK TAP

• Spindle kerep type



● Sink Tap with Coupling


 SAN-EI

 SAN-EI




EY36R (Box)
PEY36R (Blister)
SINK TAP with COUPLING

• Ceramic cartridge type




Y30J (Box)
PY30J (Blister)
SINK TAP with COUPLING

• Spindle kerep type




Y30JRN
SINK TAP with COUPLING

• Double Spindle kerep type



Y30JC
SINK TAP with COUPLING

• Spindle kerep type




Y70J (Box)
PY70J (Blister)
SINK TAP with COUPLING

• Spindle kerep type




Y30JP (Box)
SINK TAP with COUPLING

• Spindle kerep type



Y30JPR (Box)
PY30JPR (Blister)
SINK TAP with COUPLING

• Ceramic cartridge type



PT30A
HOUSE NIPPLE




PR32
KEY TAP




Y30JMR (Box)
PY30JMR (Blister)
SINK TAP with COUPLING

• Ceramic cartridge type




Y30JSX (Box)
PY30JSX (Blister)
SINK TAP with COUPLING

• Ceramic cartridge type




Y80J-13
SILL COCK with HOSE COUPLING



Y123TV-13
WASHING MACHINE TAP

• Auto Stopper Included
• With Check Valve




● **Two-Way Sink Tap**




F10MR-BK (Box)
PF10MR-BK (Blister)
TWO-WAY SINK TAP

- Ceramic cartridge type
- Useable for shower tap




F10MR (Box)
PF10MR (Blister)
TWO-WAY SINK TAP

- Ceramic cartridge type
- Useable for shower tap




F11MR (Box)
PF11MR (Blister)
TWO-WAY SINK TAP with COUPLING

- Ceramic cartridge type
- Useable for shower tap




F10C (Box)
PF10C (Blister)
TWO-WAY SINK TAP

- Spindle kerep type
- Useable for shower tap





F10P (Box)
PF10P (Blister)
TWO-WAY SINK TAP

- Spindle kerep type
- Useable for shower tap




F10PR (Box)
PF10PR (Blister)
TWO-WAY SINK TAP

- Ceramic cartridge type
- Useable for shower tap



F11P (Box)
PF11P (Blister)
TWO-WAY SINK TAP with COUPLING

- Spindle kerep type
- Useable for shower tap




● **Economic Series**




EY25R (Box)
PEY25R (Blister)
SINK TAP

- Spindle kerep type




EY25R-L (Box)
PEY25R-L (Blister)
SINK TAP

- Spindle kerep type




EY35R (Box)
PEY35R (Blister)
TWO-WAY SINK TAP with COUPLING

- Spindle kerep type



EA15R (Box)
PEA15R (Blister)
SWINGING SINK TAP

- Spindle kerep type



● **Utility Items**



P75-1S-10 (Box)
SEAL TAPE

- 10 pcs per-box
- Tape Thickness 0.1mm
- Tape Width 13mm
- Tape Length 10 Mtrs
- Made of PTFE




PP75-1S-10 (Blister)
SEAL TAPE

- Tape Thickness 0.1mm
- Tape Width 13mm
- Tape Length 10 Mtrs
- Made of PTFE



PR36
SINK TAP SPANNER




● Shower Valve




V24JP (Box)
PV24JP (Blister)
SHOWER VALVE

• Spindle kerep type




V24JC (Box)
PV24JC (Blister)
SHOWER VALVE

• Spindle kerep type




V24J (Box)
PV24J (Blister)
SHOWER VALVE

• Spindle kerep type




V24JMR (Box)
PV24JMR (Blister)
SHOWER VALVE

• Ceramic cartridge type



V24JPR (Box)
SHOWER VALVE

• Ceramic cartridge type



V24JX (Box)
PV24JX (Blister)
SHOWER VALVE


• Spindle kerep type



● Shower Valve




VII
SHOWER VALVE




V10JC-B (Box)
PV10JC-B (Blister)
SHOWER VALVE with BLUE CAP

• Spindle kerep type
• Concealed installation
• Color cap : BLUE



V10JC-R
SHOWER VALVE with RED CAP

• Spindle kerep type
• Concealed installation
• Color cap : RED



V10JX (Box)
PV10JX (Blister)
SHOWER VALVE

• Spindle kerep type
• Concealed installation




V10JP (Box)
PV10JP (Blister)
SHOWER VALVE

• Spindle kerep type
• Concealed installation



V20JP
SHOWER VALVE

• Spindle kerep type




● Stop Valve




V20JPR
SHOWER VALVE

• Ceramic cartridge type




V26JP
STOP VALVE

• Spindle kerep type



V23 (Box)
PV23 (Blister)
STOP VALVE

• Spindle kerep type




● **Stop Valve**




VN220 (Box)
PVN220 (Blister)
STOP VALVE

• Ceramic cartridge type




VN230 (Box)
PVN230 (Blister)
TWO-WAY STOP VALVE

• Spindle kerep type




VN240 (Box)
PVN240 (Blister)
TWO-WAY STOP VALVE

• Spindle kerep type





VN250 (Box)
PVN250 (Blister)
STAINLESS STOP VALVE

• Ceramic cartridge type



VN260 (Box)
PVN260 (Blister)
STAINLESS TWO-WAY STOP VALVE

• Ceramic cartridge type



VN220A-2
VN22A-2




VN260




VN220A-2 (Box)
PVN220A-2 (Blister)
STOP VALVE with FLEXIBLE PIPE

• Ceramic cartridge type



VN22A-2 (Box)
PVN22A-2 (Blister)
STOP VALVE with FLEXIBLE PIPE


• Spindle kerep type




● **Flush Valve**




V950
FLUSH VALVE for W.C




How it works





V93
URINAL FLUSH VALVE



V92
URINAL FLUSH VALVE




G41 (Box)
PG41 (Blister)
SINGLE GAS COOK



G51/PG51
Double Gas Cook
G41/PG41
Double Gas Cook

*) Example of products installation




● Shower Supplies



S1045F1
WALL SHOWER HEAD




S1045F1-MDP
WALL SHOWER HEAD



S1045F2
WALL SHOWER HEAD





S1045F2-MDP
WALL SHOWER HEAD




S104-63X2
PIPE WALL SHOWER



S104-63X2-MDP
PIPE WALL SHOWER



airE




Aliran gelembung udara yang masuk ke rain shower. Membuat kenyamanan dan efek hemat air.




PS14-L
RELAXATION WALL SHOWER

- Adjustable shower head




PS25-L
RELAXATION WALL SHOWER

- Adjustable shower head




PS20-L
RELAXATION WALL SHOWER

- Adjustable shower head
- Adjustable shower patterns
- 3 (three) patterns by pushing the button




S17C-L
RAIN SHOWER

- Adjustable shower head




PS21-L
RELAXATION WALL SHOWER

- Adjustable shower head
- Adjustable shower patterns
- 3 (three) patterns by pushing the button




S17S-L
RAIN SHOWER

- Adjustable shower head




S23
CEILING SHOWER

- Adjustable shower head



S24
CEILING SHOWER

- Adjustable shower head




● Shower Supplies




S12 (Box)
PS12 (Blister)
RELAXATION WALL SHOWER

- Adjustable shower head




S13 (Box)
PS13 (Blister)
RELAXATION WALL SHOWER

- Adjustable shower head
- Adjustable shower patterns
- 4 (four) patterns by rotating faceplate




PS10 (Blister)
WALL SHOWER

- Adjustable shower head




S11 (Box)
PS11 (Blister)
WALL SHOWER

- Adjustable shower head




S19 (Box)
PS19 (Blister)
WALL SHOWER

- Adjustable shower head



Wall Shower Installation



● Relaxation Shower Set



PS3050-81XA-CMP
SARA SHOWER HEAD



PS7964-CT6A-MW2
AYAKA ULTRA-FINE BUBBLE
WATER PURIFIER SHOWER SET

- Water Purifier cartridge (PM7164-1) Included
- Hose Length 1.6 m



PM7164-1
WATER PURIFIER CARTRIDGE



PS3020-80XA-GP
YURIKA SHOWER HEAD



PS3020-80XA-PGP
YURIKA SHOWER HEAD



PS3020-80XA-SVP
YURIKA SHOWER HEAD



PS3020-80XA-D2
YURIKA SHOWER HEAD



PS3030-80XA-BA2
ISSEI SHOWER HEAD



PS3030-80XA-HA20
ISSEI SHOWER HEAD




PS3030-80XA-WA2
ISSEI SHOWER HEAD



The product is made in Japan and equipped with 239 extremely small extremely small 0.3 mm spray head holes manufactured using state-of-the-art technology. They create a particularly fine and pleasant water jet. If the nozzles are clogged, it can be removed for an effective cleaning.

● **Relaxation Shower Set**




PS3630C
RELAXATION SHOWER SET

- Adjustable shower patterns
- 3 (three) patterns by rotating the faceplate
- Hose length 1.5 m
- Shower bracket included




PS3650C
SELF CLEANING SHOWER SET

- Faceplate with automatic self-cleaning button
- Adjustable shower patterns
- 3 patterns by rotating the faceplate
- Hose length 1.5 m
- Shower bracket included



PS3750C-BLACK
RELAXATION SHOWER SET

- Adjustable shower patterns
- 3 (three) patterns by pushing the button
- Hose length 1.5 m
- Shower bracket included




PS3750C
RELAXATION SHOWER SET

- Adjustable shower patterns
- 3 (three) patterns by pushing the button
- Metal hose length 1.5 m
- Shower bracket included



PS3857C
RELAXATION SHOWER SET

- Adjustable shower patterns
- 6 (six) patterns by rotating the faceplate
- Metal hose length 1.5 m
- Shower bracket included



PS3853C
RELAXATION SHOWER SET

- Adjustable shower patterns
- 4 (four) patterns by rotating the faceplate
- Metal hose length 1.5 m
- Shower bracket included



PS385C-BLACK
RELAXATION SHOWER SET

- Hose length 1.5 m
- Shower bracket included



PS3980C
RELAXATION SHOWER SET

- Adjustable shower patterns
- Hose length 1.5 m
- Shower bracket included



PS320C-BLACK
SHOWER SET

- Hose length 1.5 m
- Shower bracket included



PS385C
RELAXATION SHOWER SET

- Hose length 1.5 m
- Shower bracket included



PS3953C
RELAXATION SHOWER SET

- Adjustable shower patterns
- 3 (three) patterns by rotating the faceplate
- Metal hose length 1.5 m
- Shower bracket included




PS3960C
SHOWER SET

- Hose length 1.5 m
- Shower bracket included




PS3857C-BLACK
RELAXATION SHOWER SET

- Adjustable shower patterns
- 6 (six) patterns by rotating the faceplate
- Metal hose length 1.5 m
- Shower bracket included




PS3970C
RELAXATION SHOWER SET

- Adjustable shower patterns
- Metal hose length 1.5 m
- Shower bracket included




PS3951C
RELAXATION SHOWER SET

- Adjustable shower patterns
- 3 (three) patterns by rotating face plate.
- Plus "Straight Shower" pattern by pushing the button on the back of shower head
- Metal hose length 1.5 m
- Shower bracket included



PS320C
SHOWER SET

- Hose length 1.5 m
- Shower bracket included



PS330C
SHOWER SET

- Adjustable shower patterns
- 3 (three) patterns by pushing the button
- Metal hose length 1.5 m
- Shower bracket included



S310C (Box)
PS310C (Blister)
SHOWER SET

- Hose length 1.5 m
- Shower bracket included

● **Relaxation Shower Set**



PS7963C- MW2
WATER-PURIFIER SHOWER SET

- Water-Purifier cartridge (PM7163-1) included
- Hose Length 1.3m
- Shower bracket included




PS7963C-CP6
WATER-PURIFIER SHOWER SET

- Water-Purifier cartridge (PM7163-1) included
- Metal Hose Length 1.5m
- Shower bracket included



PM7163-1
WATER-PURIFIER SHOWER SET

- Calcium Sulfite
- Water Purifier Cartridge:**
- Removes Chlorine.
- Removes Synthetic Chemicals.
- Enhanced pH Balance.
- Eliminates Absorption of Harsh Chemicals.



WIDE
Shower Spray



SN351C (Box)
PSN351C (Blister)
PSN351-80X (Head Only)

- Hose length 1.3m.
- Shower bracket included



SN355C (Box)
PSN355C (Blister)
PSN355-80X (Head Only)

- Hose length 1.3m
- ECO-Shower head with On/Off button.
- Shower bracket included



PS3620C
RELAXATION SHOWER SET

- Adjustable shower patterns
- 3 (three) patterns by pushing the button
- Metal hose length 1.5m
- Shower bracket included



SN350C (Box)
PSN350C (Blister)
PSN350C-80X (Head Only)

- Metal hose length 1.5m. for PSN350C-CH / SN350C-CH
- Hose length 1.3m. for PSN350C-W / SN350C-W
- Shower bracket included



SN3100C (Box)
PSN3100C (Blister)
PSN3100-80X (Head Only)

- Metal hose length 1.5m.
- Shower bracket included
- Shower head with On/Off button



SN353C (Box)
PSN353C (Blister)
PSN353-80X (Head Only)

- Hose length 1.3m
- ECO-Shower head with On/Off button
- Shower bracket included



SN357C (Box)
PSN357C (Blister)
PSN357-80X (Head Only)

- Metal hose length 1.5m. for PSN357C-CH / SN357C-CH
- Hose length 1.3m. for PSN357C-W / SN357C-W, for PSN357C-PI / SN357C-PI
- ECO-Shower head with On/Off button
- Very light shower head, only 105gr
- Shower bracket included



● **Motif Series**



PSN352C-Zebra
TOILET SHOWER SET

- Metal hose length 1.5m
- Shower bracket included



PSN351C-Triangle
TOILET SHOWER SET

- Metal hose length 1.5m
- Shower bracket included



PSN351C-Silver Line
TOILET SHOWER SET

- Metal hose length 1.5m
- Shower bracket included



PSN78C-Zebra
TOILET SHOWER SET

- Metal hose length 1.2m
- Shower bracket included



PSN75C-Triangle
TOILET SHOWER SET

- Metal hose length 1.2m
- Shower bracket included



PSN77C-Silver Line
TOILET SHOWER SET

- Metal hose length 1.2m
- Shower bracket included



● **Toilet Shower**




• Chrome (CH)



• Black (BK)

PSN80C (Blister)



- Hose length 1,2m
- Shower bracket included




• Gun Metal • Chrome (CH) • White (W)



• Pastel Ivory (PI) • Black (BK)

SN75C (Box)
PSN75C (Blister)
PSN75-80X (Head only)

- Hose length 1.2m
- Shower bracket included



• Chrome (CH) • White (W)



SN77C (Box)
PSN77C (Blister)
PSN77-80X (Head only)

- Hose length 1.2m
- Shower bracket included



S75C (Box)
PS75C (Blister)
PS75-80X (Head only)

- Hose length 1.3m
- Shower bracket included

● Shower Hose



PS30-56X
METAL SHOWER HOSE

- Size
1.5, 2.0 (m)



PS30-76X
METAL SHOWER HOSE

- Size
1.2, 1.5 (m)




PSN30-86X
SHOWER HOSE

- Size
1.3, 1.6 (m)

● Shower Bracket




PSN34-85
SHOWER BRACKET




PSN34-845-CH
SHOWER BRACKET

- Included screw




PSN34-845-BK
SHOWER BRACKET

- Included screw



PS30-35
SHOWER BRACKET




Push to install
Can be installed anywhere, due to sucker plate.

● Bath Mixer




SK50 - GUN METAL
SINGLE LEVER BATH MIXER
with SHOWER SET

- Hose length 1.5m
- Shower bracket included




SK27351-X
SINGLE LEVER BATH MIXER
with SHOWER SET

- Useable for shower bath mixer




SK3853C-CH
SINGLE LEVER BATH MIXER
with SHOWER SET

- Metal hose length 1.5m
- Shower bracket included




SK3900-X
SINGLE LEVER BATH MIXER

- Useable for shower bath mixer




SK18C-S9LN
THERMOSTATIC BATH MIXER
with HAND SHOWER

- Hose length 1.6m
- Shower bracket included




SK27351-CH
SINGLE LEVER BATH MIXER
with SHOWER SET

- Metal hose length 1.5m
- Shower bracket included




SK3853-X
SINGLE LEVER BATH MIXER

- Useable for shower bath mixer



SK27351
SINGLE LEVER BATH MIXER
with SHOWER SET

- Metal hose length 1.3m
- Shower bracket included






SAN-EI

● **Bath Mixer**




SK31P-CH
BATH MIXER With SHOWER SET

- Metal hose length 1.5m
- Shower head with On/Off button
- Shower bracket included
- Spindle kerep type




SK31P-W
BATH MIXER with SHOWER SET

- Hose length 1.3m
- Shower head with On/Off button
- Shower bracket included
- Spindle kerep type



SK38P
BATH MIXER
with RELAXATION SHOWER

- Metal hose length 1.5m
- Adjustable shower patterns
- 6 (six) patterns by rotating the faceplate
- Shower bracket included
- Spindle kerep type




Mode: "Stop & Drop" to prevent damage due to high water pressure




SK31C-CH
BATH MIXER With SHOWER SET

- Metal hose length 1.5m
- Shower head with On/Off button
- Shower bracket included
- Spindle kerep type




SK31C-W
BATH MIXER with SHOWER SET

- Hose length 1.3m
- Shower head with On/Off button
- Shower bracket included
- Spindle kerep type




SK38C
BATH MIXER
with RELAXATION SHOWER

- Metal hose length 1.5m
- Adjustable shower patterns
- 6 (six) patterns by rotating the faceplate
- Shower bracket included
- Spindle kerep type




Mode: "Stop & Drop" to prevent damage due to high water pressure




SK3853-X-BK
SINGLE LEVER BATH MIXER

- Useable for shower bath mixer




SK27351-X-BK
SINGLE LEVER BATH MIXER

- Useable for shower bath mixer




SK3853C-BK
SINGLE LEVER BATH MIXER
with SHOWER SET

- Hose length 1.5m
- Shower bracket included




K35P-X
BATH MIXER

- Useable for shower bath mixer
- Spindle kerep type




K35C-X
BATH MIXER

- Useable for shower bath mixer
- Spindle kerep type




SK31P-X
BATH MIXER

- Useable for shower bath mixer
- Spindle kerep type




SK31C-X
BATH MIXER

- Useable for shower bath mixer
- Spindle kerep type




SK19310-X
SINGLE LEVER BATH MIXER




SK36P-CH
BATH MIXER
With SHOWER SET

- Metal hose length 1.5m
- Shower head with On/Off button
- Shower bracket included
- Spindle kerep type




SK36C-W
BATH MIXER
With SHOWER SET

- Hose length 1.3m
- Shower head with On/Off button
- Shower bracket included
- Spindle kerep type







V106
CONCEALED BATH MIXER WITH SHOWER SET
• Adjustable shower patterns




V104
CONCEALED BATH MIXER




V105
CONCEALED BATH MIXER with DIVERTER VALVE
• With Diverter Valve to Wall Shower & to Bath Spout




V102
CONCEALED BATH MIXER




V100
CONCEALED BATH MIXER




V103
CONCEALED BATH MIXER with DIVERTER VALVE
• With Diverter Valve to Wall Shower & to Bath Spout




V101
CONCEALED BATH MIXER with DIVERTER VALVE
• With Diverter Valve to Wall Shower & to Bath Spout




V104-BLACK
CONCEALED BATH MIXER




V105-BLACK
CONCEALED BATH MIXER with DIVERTER VALVE
• With Diverter Valve to Wall Shower & to Bath Spout



V102N-BLACK
CONCEALED BATH MIXER



V103N-BLACK
CONCEALED BATH MIXER with DIVERTER VALVE
• With Diverter Valve to Wall Shower & to Bath Spout





● **Bath Spout & Shower Elbow**



KN9100
BATH SPOUT

KN9200
BATH SPOUT






PT205
SHOWER ELBOW

PT205-BLACK
SHOWER ELBOW

• Useable to attach shower hose

• Useable to attach shower hose



● **Slide Bar with Shower Set**





PW502-S
SLIDE BAR with SHOWER SET

PW501-S
SLIDE BAR with SHOWER SET

• Adjustable shower bracket
• Metal hose length 1.5m

• Adjustable shower bracket
• Metal hose length 1.5m



PW503-X
SLIDE BAR




PW502-X
SLIDE BAR

PW501-X
SLIDE BAR

• Adjustable shower bracket

• Adjustable shower bracket


• Adjustable shower bracket




● Towel Holder



WN21
TOWEL SHELF




WN23
TOWEL SHELF




W5711-D
TOWEL HOLDER

• Include screw




W5711-W
TOWEL HOLDER

• Include screw




W5711-C
TOWEL HOLDER


• Include screw



PWN532
DOUBLE TOWEL HOLDER




PWN531
TOWEL HOLDER



W5701-D
TOWEL RING

• Include screw




W5701-W
TOWEL RING

• Include screw




W5701-C
TOWEL RING


• Include screw




PWN5320
DOUBLE TOWEL HOLDER




PWN5310
TOWEL HOLDER




PWN530
TOWEL RING




PWN533
TOWEL RING




WN882 (Box)
PWN882 (Blister)
DOUBLE HOOK




WN883 (Box)
PWN883 (Blister)
DOUBLE HOOK




PWN5320-BLACK
DOUBLE TOWEL HOLDER




PWN5310-BLACK
TOWEL HOLDER



WN59-2
GRIP BAR




WN59
GRIP BAR




● Paper Holder




WN195
CONER SOAP BASKET




WN190
CONER SOAP BASKET




W3701-W
PAPER HOLDER




W3701-C
PAPER HOLDER




W3801-D
DOUBLE PAPER HOLDER




WN30 (Box)
PWN30 (Blister)
PAPER HOLDER




W3801-W
DOUBLE PAPER HOLDER




W33 (Box)
PW33 (Blister)
PAPER HOLDER



W3801-C
DOUBLE PAPER HOLDER



W39 (Box)
PW39 (Blister)
PAPER HOLDER PLY STICK
• Useable for WN30/WN30
& W33/PW33




Squeeze poly stick to put on (off) toilet paper rolls.




WN200
PAPER HOLDER WITH SHELF

• Tissue placement area 138mm
Included screw



WN201
PAPER HOLDER WITH SHELF


• Tissue placement area 138mm
• Included screw




WN3700-BLACK
PAPER HOLDER




WN3700 (Box)
PWN3700 (Blister)
PAPER HOLDER



PWN180
SOAP DISH




W731 (Box)
PW731 (Blister)
ASHTRAY/SOAP DISH




W101 (Box)
PW101 (Blister)
SOAP DISPENSER

• Tube capacity 350ml




W111 (Box)
PW111 (Blister)
SOAP DISPENSER

• Tube capacity 350ml



W161 (Box)
PW161 (Blister)
SOAP DISPENSER


• Tube capacity 350ml




● **Floor Strainer**




HN910
STAINLESS SQUARE
FLOOR STRAINER



HN909
STAINLESS SQUARE
FLOOR STRAINER




HN908
SQUARE
FLOOR STRAINER




HN508-S (Box)
PHN508-S (Blister)
SQUARE FLOOR STRAINER
4 x 3" / 4 x 2"

• With locking plate




HN51-S (Box)
PHN51-S (Blister)
SQUARE FLOOR STRAINER
4 x 3" / 4 x 2"

• With locking plate




PHN51F-S (Blister)
STAINLESS STEEL
STRAINER PLATE

• Useable for strainer type
PHN51-S / PHN508-S



HN906
FLOOR STRAINER
for WASHING MACHINE




HN480
FLOOR STRAINER
4 x 3"




HN508 (Box)
PHN508 (Blister)
SQUARE FLOOR STRAINER
4 x 2"

• With locking plate




HN51 (Box)
PHN51 (Blister)
FLOOR STRAINER
4 x 2"

• With locking plate




HN508-L (Box)
FLOOR STRAINER
4 x 2"


• With locking plate




HN901
FLOOR STRAINER



HN901-600
FLOOR STRAINER




HN902-600
FLOOR STRAINER




HN508P (Box)
PHN508P (Blister)
SQUARE FLOOR STRAINER
4 x 2"

• With locking plate
* Body strainer made of ABS



HN51P (Box)
PHN51P (Blister)
FLOOR STRAINER
4 x 2"

• With locking plate
* Body strainer made of ABS



PHN51F
FLOOR STRAINER
4 x 2"


• Useable for body strainer type:
HN51 / HN508 / HN51P / HN508P /
HN508-L




● **Floor Strainer**



HN941-100 (Box)
PHN941-100 (Blister)
S/S FLOOR STRAINER 4"



HN941-150
S/S FLOOR STRAINER 6"




PR370
CLEAN-OUT WRENCH



H01
ROOF DRAIN

- Material : Brass
- Size 2, 3, 4 (inch)


Size	D	H1	H2
2"	70	17	34
3"	100	20	44
4"	124	30	58



H01P-3inch (Box)
PH01P-3inch (Blister)
ROOF DRAIN

- Material : ABS
- Size 3 (inch)

Size	D	H1	H2
3"	100	20	44



HN58
FLOOR CLEAN-OUT

- Size 2, 3, 4, 6 (inch)

Size	D	H
2"	65	18
3"	92	18
4"	117	19
6"	170	24

PHN58-4"
FLOOR CLEAN-OUT

HN59
SQUARE FLOOR CLEAN-OUT

- Size 2, 3, 4, (inch)


Size	D	H
2"	75	19
3"	105	19
4"	130	20



● **P-Trap**




HN71 (Box)
PHN71 (Blister)
P-TRAP




HN77 (Box)
PHN77 (Blister)
P-TRAP


- Pull-up type
- Easy to clean



H71
P-TRAP



H70
S-TRAP



● **Drain Hose**




PH62-860
DRAIN HOSE

- Size 1.0, 1.5, 2.0, 3.0 (m)
- Max. temp. 60°C.




PH62-861
DRAIN HOSE

- Size 1.0, 1.5 (m)
- Max. temp. 60°C.




PH62-862
Y-TYPE DRAIN HOSE

- Max. temp. 60°C.




PH62-863
Y-TYPE DRAIN HOSE

- Max. temp. 60°C.



PH64-861T
DRAIN HOSE (for Washing Machine)


- Size 1.0, 1.5, 2.0, 3.0 (m)



Sink Strainer


H650
SINK STRAINER

- With basket strainer inside
- Max. temp. 60°C.




H650A
SINK STRAINER

- With basket strainer inside
- Max. temp. 60°C.



H651A
SINK STRAINER


- With basket strainer inside
- Max. temp. 60°C.



● **Ball Tap**

VN41 (Box)
PVN41 (Blister)
FLOATING BALL TAP



- Size 1/2, 3/4, 1 (inch)
- Max. water pressure 0.5MPa.
- Tap & Stick made of Brass
- Floating Ball made of HDPE (High-Density PolyEthylene)



	L	L1	H	Z	R.Ball	Stick
13 (1/2")	305	34	100	G1/2	105	160
20 (3/4")	380	36	100	G3/4	115	220
25 (1")	500	38	60	G1	115	330

VN44J (Box)
PVN44J (Blister)
FLOATING BALL TAP

- Size 1/2, 3/4, 1 (inch)
- Max. water pressure 0.75MPa.
- Tap & Stick made of Brass
- Floating Ball made of HDPE (High-Density PolyEthylene)
- Valve Body: JIS Design (Japan Industrial Standar Design).
- Heavy duty tap with vertical Leverage system





	L	L1	L2	H	Z	R.Ball	Stick
13 (1/2")	305	35	25	130	G1/2	105	160
20 (3/4")	380	35	40	180	G3/4	115	220
25 (1")	520	38	49	240	G1	115	330



PH84-38
LOW-TANK SIPHON




PH841-92X
LOW-TANK RUBBER FLOAT





V48
VERTICAL FLOATING BALL TAP

- Workable on water pressure 0.098 ~ 0.74 MPa.




V57
FLOATING BALL TAP

- Size 1, 1 1/4, 1 1/2, 2 (inch)
- Floating ball : Stainless Steel (SUS316)
- Maximum water temperature 120° C.
- Workable on water pressure 0.098 ~ 0.74MPa (1 ~ 7.5Kgf/cm²)
- For V57 size 2", use spherical floating ball
- Size 1 1/4, 1 1/2, 2" : does not have a mounting nut



V52
FLOATING BALL TAP

- Size 1/2, 3/4, 1, 1 1/4, 1 1/2, 2 (inch)
- Floating ball : HDPE (High-Density PolyEthylene)
- Maximum water temperature 60° C.
- Workable on water pressure 0.098 ~ 0.74MPa (1 ~ 7.5Kgf/cm²)
- Size 1 1/4, 1 1/2, 2" : does not have a mounting nut





Product Measure V57, V52

	L1		L	H	H1		Z	R.Ball	Pole Length X Dia.
	When the water discharge	When sealing			When sealing	When the water discharge			
13 (1/2")	205 ~ 251	307 ~ 337	30	48	52 ~ 116	230 ~ 260	PJ1/2	95	160X6
20 (3/4")	153 ~ 220	332 ~ 374	35	72	140 ~ 185	330 ~ 335	PJ3/4	115	200X6
25 (1")	172 ~ 240	345 ~ 395	35	78	150 ~ 210	330 ~ 335	PJ1	115	200X6
30 (1 1/4")	170 ~ 250	359 ~ 413	22	84	110 ~ 190	340 ~ 355	R11/4	115	220X6
40 (1 1/2")	310 ~ 458	460 ~ 575	23	85	55 ~ 253	309 ~ 430	R11/2	135	300X8
50 (2")	305 ~ 454	496 ~ 610	26	98	69 ~ 278	370 ~ 485	R2	150	300X8

L1, H1 during hydrostatic pressure 0.3MPa

V420
FLOATING BALL TAP 1 1/4 (Inch)

- Maximum water temperature 60° C.
- Workable on water pressure 0.098 ~ 0.74 MPa (1 ~ 7.5Kgf/cm²)




	L	L1	H	H1
1 1/4	465	47	265	130

PT726
LOCK NUT 1/2"

- Size 1/2, 3/4, 1 (inch)

SIZE	L
1/2	35
3/4	40
1	49



VN41-84-105
FLOATING BALL (Ball Tap Sparepart)

VN41-84-115
FLOATING BALL (Ball Tap Sparepart)

- Made of HDPE (High-Density PolyEthylene)
- Diameter 105mm : useable for ball tap size : 1/2 & 3/4
- Diameter 115mm : useable for ball tap size : 1"



● Flexible Pipe




T10 - 1/2" (Box)
PT10 - 1/2" (Blister)
S/S FLEXIBLE PIPE 1/2"

• Size
150, 200, 250, 300, 350, 400, 500, 600,
800, 1,000, 1,500, 2,000, 3,000, 5,000
(mm)
• Maximum pressure 1.72MPa.
• Maximum temperature 90° C.
• Material : Stainless steel

T10 - 3/4" (Box)
S/S FLEXIBLE PIPE 3/4"

• Size
200, 300, 400, 500,
(mm)



T193 - 1/2" (Box)
PT193 - 1/2" (Blister)
S/S FLEXIBLE PIPE 1/2"

• Size
200, 250, 300, 350, 400, 500, 600,
1,000 (mm)
• Maximum pressure 3,5MPa.
• Maximum temperature 90° C.
• Material outside : Stainless steel
inside : PVC



T293 - 1/2" (Box)
PT293 - 1/2" (Blister)
S/S FLEXIBLE PIPE 1/2" ECONOMIC SERIES


• Size
300, 400, 500, 600, 1000
(mm)
• Maximum pressure 2.0MPa.
• Maximum temperature 80° C.
• Material : Stainless steel




● Connector Items




PT20
NIPPLE 1/2"



PT79
TEE 1/2"



PT202
ELBOW 1/2"




● Connector Items




PT253
SOCKET 1/2"

• Size
15, 30 (mm)



PT21
SOCKET 1/2"




PT24
BUSHING 1/2 X 3/4"



PT241
BUSHING 3/4 X 1/2"



PT25-51
BUSHING 1/2 X 3/4"



PT25-5
BUSHING 3/4 X 1/2"




PT201
NIPPLE 3/4 X 1/2"



PT22C
SOCKET 1/2"

• Size
15, 20, 25, 30, 40
(mm)




PT726
LOCK NUT


• Size
1/2, 3/4, 1 (inch)




SIZE	L
1/2	35
3/4	40
1	49




PT20
NIPPLE 1/2"



PT79
TEE 1/2"



PT202
ELBOW 1/2"




PT760
PLUG 1/2"



PT780
CAP NUT 1/2"




PT71
PLUG 1/2"




● Connector Items




PT73
ELBOW 1/2"




PT77
TEE 1/2"




PT204-5
ELBOW with NUT 1/2"




PT6-6X
TEE with NUT 1/2"



PT62-16
MALE ELBOW with NUT L16 X 1/2"





PT62-20
MALE ELBOW with NUT L20 X 1/2"



PT63-16
FEMALE ELBOW with L16 NUT 1/2"



PT80
T-CALIBRATOR for PEX PIPE





● Ball Valve





VN650F
BALL VALVE

• Size
1/2, 3/4 (inch)



V650F (Box)
PV650F (Blister)
BALL VALVE 3/4"


• Useable for Oil or WATER valve
• Workable max. 2.74MPa (28kgf/cm)



V61 (Box)
PV61 (Blister)
BALL VALVE


• Size
1/2, 3/4 (inch)

• Maximum Temperature 100° C
• Material : Brass




V62-X (Box)
PV62-X (Blister)
BALL VALVE

• Maximum Temperature 100° C
• Material : Brass




V66 (Box)
PV66 (Blister)
BALL VALVE

• Maximum Temperature 100° C
• Material : Brass






V64 (Box)
PV64 (Blister)
BALL VALVE

• Maximum Temperature 100° C
• Material : Brass



V63 (Box)
PV63 (Blister)
BALL VALVE

• Maximum Temperature 80° C
• Material : Brass



• Pop-up handle as a **Key Tap**
• Maximum water pressure **1 MPa**
• Workable on temp. **-20°C ~ 90°C**



● Garden Items

SAN-EI




PN550
NOZZLE

- Adjustable shower spray




PN560
NOZZLE

- Adjustable shower spray
- Removable spray head




PN51
NOZZLE

- Adjustable shower spray




EY36R (Box)
PEY36R (Blister)
SINK TAP with Coupling

- Ceramic cateridge type




Y30J (Box)
PY30J (Blister)
SINK TAP with Coupling

- Spindle kerep type



Y80J-13
SILL COCK with Coupling


- Spindle kerep type



C517F
SPRINKLER


- Adjustable water spray type :
- Mist water spray & Straight spray
- Adjustable water spray radius : 9.0~20 mtrs.
- Adjustable water spray rotation

Water Pressure	MPa	0.1	0.2	0.3
Water Debit	L/min	9.5	13.5	16.5
Radius	m	9.0	19.0	11.0




C520F
SPRINKLER

Water Pressure	MPa	0.1	0.2	0.3
Water Debit	L/min	16.0	22.0	26.0
Radius	m	13.0	22.0	25.0




Y70J (Box)
PY70J (Blister)
SINK TAP with Coupling

- Spindle kerep type




● Tools

SAN-EI



P75-1S-10 (Box)
SEAL TAPE

- 10 pcs per-box
- Tape Thickness 0.1mm
- Tape Width 13mm
- Tape Length 10 Mtrs
- Made of PTFE




PP75-1S-10 (Blister)
SEAL TAPE

- Tape Thickness 0.1mm
- Tape Width 13mm
- Tape Length 10 Mtrs
- Made of PTFE




PP79-1S
TAPE

- Usable for washbowl/washbasin to prevent leaks




PR351
TAP SPANNER

- Locknut Size 24mm



R3550
TAP SPANNER


- Locknut Size 38mm & 46mm




PR370
CLEAN-OUT WRENCH



PT30A
HOSE NIPPLE




PR32
KEY TAP



VN41-84-105
VN41-84-115
FLOATING BALL
(Ball Tap Sparepart)

- Made of HDPE (High-Density PolyEthylene)
- Diameter 105mm : useable for ball tap size : 1/2 & 3/4
- Diameter 115mm : useable for ball tap size : 1"




● **Basket Strainer**



● **Water Filters**




PH621-M
MESH STRAINER




PH625-L
BASKET STRAINER



PH3921
BASIN STRAINER



PH65-9
SINK DRAIN STRAINER



PH6210F-L
BASKET STRAINER




PH395-M (100)
HAIR CATCHER




PM7240
WATER FILTER

- Water Filter with 5 layers filter.
- Non-woven fabric filter.
- Coconut shell activated carbon.
- Zeolite.
- Calcium Sulfite.
- Non-woven fabric filter.
- Water temperature max. 50°C.
- Changeable shower patterns.



PM7251
WATER FILTER

- Three layers water filter with Carbon, Charcoal & Calcium.
- Water temperature max. 45°C.
- Changeable shower patterns.



PM7230-B
CLEAN WATER



PM202A
TOP FILTER



PS7963C - MW2
WATER-PURIFIER SHOWER SET

- Water-Purifier cartridge (PM7163-1) included.
- Hose length 1.3 m.
- Shower bracket included.



PS7963C - CP6
WATER-PURIFIER SHOWER SET

- Water-Purifier cartridge (PM7163-1) included.
- Metal hose length 1.5 m.
- Shower bracket included.



PM7163-1
WATER-PURIFIER CARTRIDGE

- Calcium Sulfite


Water Purifier Cartridge:

- Removes Chlorine.
- Removes Synthetic Chemicals.
- Enhanced pH Balance.
- Eliminates Absorption of Harsh Chemicals.

Water-Purifier Cartridge's Use Periods:

In the case of using 8 minutes per day, the effect of the cartridge about 2 months. It varies according to your water conditions, please replace water-purifier cartridge (code type: PM7163-1). Free residual chlorine capacity about: 4,000 L (Flow Rate: 8 L/min)

How to Replace the Cartridge



● **Faucets Handle**



PR20F
METAL HANDLE

- For faucet with Spindle kerep type
- Metal Handle type, Chrome finished



PR27F
CRYSTAL HANDLE

- For faucet with Spindle kerep type




PR29F
CRYSTAL HANDLE

- For faucet with Spindle kerep type



PR23FL
LEVER HANDLE

- For faucet with Spindle kerep type
- Metal Handle type, Chrome finished



PR23F
LEVER HANDLE

- For faucet with Spindle kerep type
- Metal Handle type, Chrome finished




Faucets Pipe




PA10J-60X
SPAREPART PIPE

Useable for :




PA27J-60X
SPAREPART PIPE

Useable for :





PA26J-60X
SPAREPART PIPE

Useable for :



PA29J-60X
SPAREPART PIPE


Useable for :



PA18A-76X
SPAREPART PIPE

- Effervescent water flow with aerator
- Stainless steel flexible pipe
- Water temp. Max 60 C

Useable for :




● **Faucets Handle**



PR250F
CROSS HANDLE

- For faucet with Spindle kerep type
- Metal Handle type, Chrome finished




PR220F
PINENAPPLE HANDLE

- For faucet with Spindle kerep type
- Metal Handle type, Chrome finished




PR225F
PINENAPPLE HANDLE

- For faucet with Spindle kerep type
- Metal Handle type, Chrome finished



PR255F
SAMURAI HANDLE

- For faucet with Ceramic cartridge type or Double spindle kerep type
- Metal Handle type, Chrome finished



PR235F
MINICERA HANDLE

- For faucet with Ceramic cartridge type
- Metal Handle type, Chrome finished



PR210F - CB4
CROSS HANDLE

- For faucet with Spindle kerep type





Faucets Pipe




PA10J-60X
SPAREPART PIPE

Useable for :




PA27J-60X
SPAREPART PIPE

Useable for :





PA26J-60X
SPAREPART PIPE

Useable for :



PA29J-60X
SPAREPART PIPE


Useable for :



PA18A-76X
SPAREPART PIPE


- Effervescent water flow with aerator
- Stainless steel flexible pipe
- Water temp. Max 60 C

Useable for :




PR501
CERAMIC CARTRIDGE

- Cartridge Head-Part "One-Touch Spin Handle" (90 Degrees)




PU-36-1
SPINDLE 45mm

- Useable for Faucets with "Spindle Kerep Type"




PU-38-1
DOUBLE SPINDLE 45mm

- Useable for Faucets with "Double Spindle Kerep Type"




PP-12A-2S
RUBBER PACKING for SPINDLE



PU-37-1
SPINDLE 85mm

- Useable for Concealed Valve with "Spindle Kerep Type"



Maintenance Parts

A	Page
A10JC	15
A10JP-L2	15
A10JP-L3	15
A10JRN	15
A10RN-L	15
A10JSX	15
A10JSX-HM	15
A10JSX-HM-BLACK	15
A16JC	16
A16JSX	16
A18JSX	15

A26JC	17
A26JMR	17
A26JRN	17
A26JSX	17
A26JSX-HM	17

A27JP-L2	16
A27JP-L3	16
A27JRN	16
A27JRN-HM	16

A28JSX	17
A286JC-L3	18
A286JSX-L3	18
A286JSX-L3-PM	18

A29JMR	17
A29JSX	17
A29JSX-HM	17
A56JRN	20
A56JRN-HM	20
A56JSX	20
A57JRN	20
A57JRN-HM	20
A58JSX	20
A59JMR	21
A59JP	21
A59JSX	21
A59JSX-HM	21
A59JSX-HM-BLACK	21

A500	18
A520	18
A530	18
A530-BLACK	18
A550	19
A560	19
A570 - BLACK	6,19
A570 - CHROME	3,19
A580 CHROME	3,19
A580 GUN METAL	5,19
A586JSX-L3	20
A586JSX-L3-PM	20

A600	19
------	----

C	Page
C517F	77
C520F	77

E	Page
EA15R	38
EA16R	3,16
EA100	31
EA100-BLACK	31
EY102DC-13	32
EY25R	38
EY25R-L	38
EY26R	4,33
EY35R	38
EY36R	4,35,77
EY50R	3,22
EY51R	3,22
EY500	32
EY501	32
EW502	32

F	Page
F10C	37
F10MR	37
F10MR-BK	37
F10P	37
F10PR	37
F11MR	37
F11P	37

G	Page
G41	42

H	Page
H01 - 2"	67
H01 - 3"	67
H01 - 4"	67
H01P-3inch	67

H650	70
H650A	70
H651A	70

H70	69
H71	69
H770-88	23

HN	Page
HN480	65
HN508	66
HN508-L	66
HN508-S	66
HN508P	66
HN51	66
HN51-S	66
HN51P	66
HN58 - 2"	67
HN58 - 3"	67
HN58 - 4"	67
HN58 - 6"	67
HN59 - 2"	67
HN59 - 3"	67
HN59 - 4"	67
HN71	69
HN77	69

HN901	65
HN901-600	65
HN902-600	65
HN905	65
HN906	65
HN908	65
HN909	5,65
HN910	5,65
HN941-100	67
HN941-150	67

JA	Page
JA546HCV-13	28

K	Page
K11-1-JRN	25,29
K131Y-13	25,29
K35C	26
K35C-X	26,56
K35P	26
K35P-X	26,56
K37	26
K37610EJV-13	30
K4780NJV-13	8
K4780PJV-13	8
K4790NJV-13	8
K51-W	30
K5580-P-13	8
K611-W	24
K71D-W	24
K811YV-13	24
K8700	24
K87121ET6JV-13	23
K8751JV-13	23
K87580JV	23
K875JDVZ-1-13	23
K8790JHV-13	8

KN	Page
KN350-S-BLACK	30
KN370 - COFFEE GOLD	6,30
KN380	30
KN4770	30
KN580	3,30
KN580 - GUN METAL	5,30
KN870	24
KN8700	23
KN8750	23
KN8770 - BLACK	6,22
KN880 - GUN METAL	6,22
KN890 - COFFEE GOLD	6,22
KN9100	59
KN9200	59

P	Page
P75-1S-10	38,78

PA	Page
PA10J-60X	81
PA10JC	15
PA10JSX	15
PA10JSX-HM	15
PA18A-76X	81
PA18JSX	15
PA26J-60X	81
PA26JMR	17
PA26JSX	17
PA26JSX-HM	17
PA27J-60X	81
PA27JRN-HM	16
PA28JSX	17
PA286JC-L3	18
PA286JSX-L3	18
PA286JSX-L3-PM	18
PA29J-60X	81
PA29JMR	17
PA29JSX	17
PA29JSX-HM	17
PA56JSX	20
PA58JSX	20
PA586JSX-L3	20
PA586JSX-L3-PM	20
PA59JSX	21
PA59JSX-HM	21

PE	Page
PEA15R	38
PEA16R	3,16
PEY25R	38
PEY25R-L	38
PEY26R	4,33
PEY35R	38
PEY36R	4,35,77

PF	Page
PF10C	37
PF10MR	37
PF10MR-BK	37
PF10P	37
PF10PR	37
PF11MR	37
PF11P	37

PG	Page
PG41	42

PH	Page
PH01P-3inch	67
PH62-860 - 1m	70
PH62-860 - 1,5m	70
PH62-860 - 2,0m	70
PH62-860 - 3,0m	70
PH62-861 - 1m	70
PH62-861 - 1,5m	70
PH62-862	70
PH62-863	70
PH64-861T - 1m	70
PH64-861T - 1,5m	70
PH64-861T - 2,0m	70
PH64-861T - 3,0m	70
PH65-9	79
PH84-38	71
PH395-M (100)	79
PH621-M	79
PH625-L	79
PH841-92X	71
PH3921	79
PH6210F-L	79

PHN	Page
PHN508	66
PHN508-S	66
PHN508P	66
PHN51	66
PHN51-S	66
PHN51P	66
PHN51F	66
PHN51F-S	66
PHN 58-4"	67
PHN71	69
PHN77	69
PHN941-100	67

PM	Page
PM202A(White/ Blue)	80
PM7163-1	49, 80
PM7164-1	10, 46
PM71750M-1	23
PM7230-B	21, 80
PM7240	21, 80
PM7251	21, 80

PN	Page
PN51	77
PN550	77
PN560	77

PP	Page
PP-12A-2S	82
PP75-1S-10	38,78
PP79-1S	78

PR	Page
PR20F	81
PR23F	81
PR23FL	81
PR27F	81
PR29F	81
PR32	36, 78
PR36	38, 78
PR210F - CB4	82
PR210F - CP4	82
PR210F - CWR3	82
PR210F - MW	82
PR220F	82
PR225F	82
PR235F	82
PR250F	82
PR255F	82
PR351	78
PR370	67,78
PR501	82

PS	Page
PS10	45
PS11	45
PS12	45
PS13	45
PS14-L	44
PS19	45
PS20-L	44
PS21-L	44
PS25-L	44
PS30-35	53
PS30-56X - 1.5m	53
PS30-56X - 2.0m	53
PS30-76X - 1.2m	53
PS30-76X - 1.5m	53
PS3020-80XA-D2	9,46
PS3020-80-XA-GP	9,46
PS3020-80XA-PGP	9,46
PS3020-80XA-SVP	9,46
PS3030-80XA-BA2	10,46
PS3030-80XA-HA20	10,46
PS3030-80XA-WA2	10,46
PS3050-81XA-CMP	10,46
PS310C	48
PS320C	48
PS320C-BLACK	47
PS330C	48
PS3620C	49
PS3630C	47
PS3650C	3,47
PS3750C	48
PS3750C-BLACK	47
PS3853C	48
PS3857C	48
PS3857C-BK	47
PS385C	48
PS385C-BLACK	47
PS3951C	47
PS3953C	48
PS3960C	48
PS3970C	47
PS3980C	47
PS75C - W	52
PS75-80X - W	52
PS7963C-CP6	49, 80
PS7963C-MW2	49, 80
PS7964-CT6A-MW2	10, 46

PSN	Page
PSN30-86X - 1,3m	53
PSN30-86X - 1,6m	53
PSN34-85	53
PSN34-845-BK	53
PSN34-845-CH	53
PSN350C - CH	49
PSN350C - W	49
PSN350C-80X - CH	49
PSN350C-80X - W	49

PSN351C- W	50
PSN351C-80X - W	50
PSN351C-SILVER LINE	51
PSN351C-TRIANGLE	51
PSN352C-ZEBRA	51
PSN353-80X - P.I	49
PSN353-80X - MG	49
PSN353C - P.I	49
PSN353C - MG	49
PSN355C-W	50
PSN355C-80X - W	50
PSN355C-80X - MG	50
PSN357C - CH	50
PSN357C - W	50
PSN357C - P.I	50
PSN357-80X - CH	50
PSN357-80X - W	50
PSN357-80X - P.I	50
PSN3100C - CH	49
PSN3100C-80X - CH	49
PSN75C - CH	52
PSN75C - W	52
PSN75C - P.I	52
PSN75C - BK	52
PSN75C- GUN METAL	6,52
PSN75C-TRIANGLE	51
PSN75-80X - W	52
PSN75-80X - P.I	52
PSN75-80X - BK	52
PSN75-80X - CH	52
PSN77C - W	52
PSN77C - CH	52
PSN77C-SILVER LINE	51
PSN78C-ZEBRA	51
PSN77-80X - W	52
PSN77-80X - CH	52
PSN80C - CH	5,52
PSN80C-BK	6,52

PT	Page
PT10 - 150 mm	73
PT10 - 200 mm	73
PT10 - 250 mm	73
PT10 - 300 mm	73
PT10 - 350 mm	73
PT10 - 400 mm	73
PT10 - 500 mm	73
PT10 - 600 mm	73
PT10 - 800 mm	73
PT10 - 1,000 mm	73
PT193 - 200 mm	73
PT193 - 250 mm	73
PT193 - 300 mm	73
PT193 - 350 mm	73
PT193 - 400 mm	73
PT193 - 500 mm	73
PT193 - 600 mm	73
PT193 - 1,000 mm	73
PT20 - 1/2	73
PT201	74
PT202	73
PT204-5	75
PT205	59
PT205 - BLACK	59
PT21	74
PT22C - 15 mm	74
PT22C - 20 mm	74
PT22C - 25 mm	74
PT22C - 30 mm	74
PT22C - 40 mm	74
PT24	74
PT241	74
PT25 - 5	74
PT25 - 51	74
PT253 - 15 mm	74
PT253 - 30 mm	74
PT293 - 300 mm	73
PT293 - 400 mm	73
PT293 - 500 mm	73
PT293 - 600 mm	73
PT293 - 1,000 mm	73

PT30A	36, 78
PT6-6X	75
PT62-16	75
PT62-20	75
PT63-16	75
PT71	74
PT726 - 1/2"	72,74
PT726 - 3/4"	72,74
PT726 - 1"	72,74
PT73	75
PT760	74
PT77	75
PT780	74
PT79	73
PT80	75

PU	Page
PU-36-1	82
PU-37-1	82
PU-38-1	82

PV	Page
PV10JC-B	40
PV10JP	40
PV10JX	40
PV23	40
PV24J	39
PV24JC	39
PV24JMR	39
PV24JP	39
PV24JPR	39
PV24JX	39
PV61 - 1/2	76
PV61 - 3/4	76
PV62 - X	76
PV63	76
PV64	76
PV66	76
PV650F - 3/4"	76

PVN	Page
PVN 22 A - 2	41
PVN 220	41
PVN 220 A - 2	41
PVN 230	41
PVN 240	41
PVN 250	4,41
PVN 260	4,41
PVN 41 - 1/2"	71
PVN 41 - 3/4"	71
PVN 41 - 1"	71
PVN 44J - 1/2"	71
PVN 44J - 3/4"	71
PVN 44J - 1"	71

PW	Page
PW101	64
PW111	64
PW161	64
PW33	63
PW372	64
PW39	63
PW501-S	60
PW501-X	60
PW502-S	60
PW502-X	60
PW503-X	5, 60
PW731	64

PWN	Page
PWN180	64
PWN30	63
PWN3700	64
PWN530	62
PWN531	61
PWN532	61
PWN533	62
PWN5310	61
PWN5310-BLACK	61
PWN5320	61
PWN5320-BLACK	61
PWN 882	62
PWN 883	62

PY	Page
PY20	33
PY20C	33
PY20J	34
PY20JC	34
PY20JC-BB	34
PY20JP	34
PY20JRN	34
PY20JX	34
PY20MR	33
PY20PR	33
PY20SX	33
PY20SX-HM	33
PY30J	35,77
PY30JMR	35
PY30JPR	35
PY30JSX	35
PY50JC	27
PY50JC-BB	27
PY50JMR	27
PY50JPR	27
PY50JSX	27
PY501R	28
PY503R	28
PY510R	28
PY51P	27
PY70J	36,77

R	Page
R3550	78

S	Page
S104-63X2	43
S104-63X2-MDP	43
S1045F1	43
S1045F1-MDP	43
S1045F2	43
S1045F2-MDP	43
S11	45
S12	45
S13	45
S17C-L	44
S17S-L	44
S19	45
S23	44
S24	44
S310C	48
S75C - W	52

SK	Page
SK18C-S9LN	54
SK18C-T5L19	8
SK19310-X	55
SK27351	54
SK27351-CH	54
SK27351-X	54
SK27351-X-BK	56
SK2890-13	8
SK31C-CH	55

SK31C-W	55
SK31C-X	55
SK31P-CH	55
SK31P-W	55
SK31P-X	55
SK36C-W	56
SK36P-CH	56
SK38C	55
SK38P	55
SK3853-X	54
SK3853-X-BK	56
SK3853C-BK	56
SK3853C-CH	54
SK3900-X	3, 54
SK50-GUN METAL	2, 54
SK9880A	7

SN	Page
SN3100C - CH	49
SN75C - CH	52
SN75C - W	52
SN75C - P.I	52
SN75C - BK	52
SN75C - GUN METAL	6,52
SN77C - W	52
SN77C - CH	52
SN350C - W	49
SN350C - CH	49
SN351C - W	50
SN353C - P.I	49
SN355C - W	50
SN357C - W	50
SN357C - CH	50
SN357C - P.I	50

T	Page
T10 - 150 mm	73
T10 - 200 mm	73
T10 - 250 mm	73
T10 - 300 mm	73
T10 - 350 mm	73
T10 - 400 mm	73
T10 - 500 mm	73
T10 - 600 mm	73
T10 - 800 mm	73
T10 - 1.000 mm	73
T10 - 1.500 mm	73
T10 - 2.000 mm	73
T10 - 3.000 mm	73
T10 - 5.000 mm	73
T10 - 3/4" - 200 mm	73
T10 - 3/4" - 300 mm	73
T10 - 3/4" - 400 mm	73
T10 - 3/4" - 500 mm	73
T193 - 200 mm	73
T193 - 250 mm	73
T193 - 300 mm	73
T193 - 350 mm	73
T193 - 400 mm	73
T193 - 500 mm	73
T193 - 600 mm	73
T193 - 1.000 mm	73
T293 - 300 mm	73
T293 - 400 mm	73
T293 - 500 mm	73
T293 - 600 mm	73
T293 - 1.000 mm	73

V	Page
V10JC-B	40
V10JC-R	40
V10JP	40
V10JX	40
V100	58
V101	58
V102	58
V102N-BLACK	58
V103	58
V103N-BLACK	58
V104	57
V104-BLACK	57
V105	57
V105-BLACK	57
V106	1, 57
V11	4, 40
V20JP	40
V20JPR	40
V23	40
V24J	39
V24JC	39
V24JX	39
V24JP	39
V24JMR	39
V24JPR	39
V26JP	40
V48	71
V52 - 1/2"	72
V52 - 3/4"	72
V52 - 1"	72
V52 - 1 1/4"	72
V52 - 1 1/2"	72
V52 - 2"	72
V57 - 1"	72
V57 - 1 1/4"	72
V57 - 1 1/2"	72
V57 - 2"	72
V61 - 1/2"	76
V61 - 3/4"	76
V62-X	76
V63	76
V64	76
V66	76
V92	42
V93	42
V420	72
V650F - 3/4"	76
V950	42

VN	Page
VN22A-2	41
VN220	41
VN220A-2	41
VN230	41
VN240	41
VN250	4,41
VN260	4,41
VN41 - 1/2"	71
VN41 - 3/4"	71
VN41 - 1"	71
VN41-84-105	72,78
VN41-84-115	72,78
VN44J - 1/2"	71
VN44J - 3/4"	71
VN44J - 1"	71
VN650F - 1/2"	76
VN650F - 3/4"	76

W	Page
W101	64
W111	64
W161	64
W33	63
W3701-C	63
W3701-D	63
W3701-W	63
W3801-C	63
W3801-D	63
W3801-W	63

W39	63
W5701-C	62
W5701-D	62
W5701-W	62
W5711-C	62
W5711-D	62
W5711-W	62
W5792-400	12
W5792-1200	12
W5792L-600X400	12
W584	11
W601	11
W604	11
W731	64
W7750-X	14
W7900-S	14
W8000-S	14
W8200-S	14
W9100-S-BLACK	13
W9200-S	1, 13
W9200-S-BLACK	2, 13
W9300-S	13
W9500-S-GUN METAL	1, 13

WN	Page
WN21	61
WN23	61
WN30	63
WN59	12, 62
WN59-2	12, 62
WN190	5, 63
WN195	5, 63
WN200	4, 64
WN201	4, 64
WN882	62
WN883	62
WN3700	64
WN3700-BLACK	64

Y	Page
Y123TV-13	36
Y20	33
Y20C	33
Y20C-3/4"	34
Y20J	34
Y20P	33
Y20X	33
Y20JC	34
Y20JC-BB	34
Y20JP	34
Y20JX	34
Y20JRN	34
Y20JRN-L	34
Y20MR	33
Y20PR	33
Y20SX	33
Y20SX-HM	33
Y25A-13	4, 12
Y30J	35, 77
Y30JC	36
Y30JP	35
Y30JMR	35
Y30JPR	35
Y30JRN	36
Y30JSX	35
Y4700-L- SILVER GREY	29
Y4700-L-BLACK	29
Y4700-L-CHROME	29
Y4700-L-GREY	29
Y4700-L-RED	29
Y4700-S	28
Y50JC	27
Y50JC-BB	27

Y50JMR	27
Y50JPR	27
Y50JRN	27
Y50JRN-L	27
Y50JSX	27
Y51C	27
Y51P	27
Y55A-13	4, 12
Y70J	36, 77
Y80J-13	36, 77
Y501R	28
Y503R	28
Y505	28
Y506	28
Y507	3, 28
Y510R	28